Hydraulic Billet Trim Tabs

LED LIGHTS

now on Trim Tabs

Electronic or Mechanical Trim Indication

Private label and powder coat finish available



847-752-2700 sales@livorsi.com www.livorsi.com

Livorsi Billet Trim Tabs with Hydraulic Cylinders



trim tab makes installation of underwater lighting much easier.

Wiring is routed through the tab transom plate for a clean installation.

1	750 Performance Kits		
	TTK750ML	Mechanical cable Livorsi Transom Plate 16X10"	
	TTK- 750MM	Mechanical cable Merc Transom Plate 16X10"	
	TTK750EL	Electric Trim Livorsi Transom Plate 16X10"	
	TTK750EM	Electric Trim Merc Transom Plate 16X10"	
		12" 101/6" 172 sq. in. per tab	

	850 Military Kits	
TTK850ML Mechanical cable Livorsi Transom Plate 16X14"		
TTK850EL	Electric Trim Livorsi Transom Plate 16X14"	
1:	12" 8½" 203 sq. in. per tab	

Electronic IP68 sensor plugs directly to Livorsi's LED Position Indicator

Compatible with NMEA 2000® compliant systems or Mercury VesselView®

Features

- Available in 11 powder coat colors
- Available with private labeling
- Available with 4" or 6" LED lights in white, blue, red, or green.
- Models are available for performance boats, center consoles, run-abouts, cruisers, workboats and military boats
- Stepped hull design available in the 1050 and 1150 Trim Tab (See Stepped Trim Tab Flyer).
- For use on boats 20 50 feet
- Tabs are CNC machined from billet aluminum, no casting
- Tabs are Mil-Spec hard coat anodized to prevent corrosion
- Five anodes for complete saltwater protection
- All hinge pins and hardware are stainless steel
- Adjust transom angles without the use of special tools
- Bolt patterns include Mercury or a smaller Livorsi bolt pattern for center consoles
- Hydraulic cylinders designed for 1500 PSI working pressure with dual seals, cylinders may be serviced
- Choose between plug and play LED electronic position indicators or mechanical position indicators (uses 33C cables)
- Stainless steel braided hoses are purchased separately, see back page

950 Mercury Replacement Kits for 280S			
TTK950ML	Mechanical cable Livorsi Transom Plate 20X9"		
TTK950MM	Mechanical cable Merc Transom Plate 20X9"		
TTK950EL	Electric Trim Livorsi Transom Plate 20X9"		
TTK950EM	Electric Trim Merc Transom Plate 20X9"		
NITK950EM NITK950EM NITK950EM NITK950EM	14" 9" 91/4" 226 sq. in. per tab		

1050 Performance Kits (Available in stepped hull design)			
TTK1050ML	Mechanical cable Livorsi Transom Plate 22X10"		
TTK1050MM	Mechanical cable Merc Transom Plate 22X10"		
TTK1050EL	Electric Trim Livorsi Transom Plate 22X10"		
TTK1050EM	Electric Trim Merc Transom Plate 22X10"		
SMALLER PLAT	12"	22" 235 sq. in. per tab	

NOTE: Add "24" at end of any of these part numbers listed to order trim tabs to be used on 24V systems.

*NOTE: 1050 Tab available in stepped hull design

Trim Tab Kits include:

- Two billet tabs
- Two pumps
- Mounting hardware
- Plug in Harnesses (shown in image)
- Thru hull fittings



Newly designed Parker Pumps

(Made in the U.S.A.)

Compact design to fit small spaces
(8.5"W X 11.5"H)

Stainless steel braided hoses

Hoses are purchased separately. Four hoses are needed for one kit, two per cylinder.



Inverted Flare Ends		
30 inches	SSBH30IN-1	
36 inches	SSBH36IN-1	
48 inches	SSBH48IN-1	
60 inches	SSBH60IN-1	
72 inches	SSBH72IN-1	
90 inches	SSBH90IN-1	
19 feet	SSBH19FT-1	
21 feet	SSBH21FT-1	



SAE J514 37° Flare Ends		
30 inches	SSBH30IN	
34 inches	SSBH34IN	
60 inches	SSBH60IN	
90 inches	SSBH90IN	
19 feet	SSBH19FT	
21 feet	SSBH21FT	
26 feet	SSBH26FT	

Position Indicators



Mechanical Reads position of trim tabs with the use of 33C cables.



Electronic Reads position of trim tabs with the use of electronic sensors.

These indicators are capable of reading CAN Bus protocols such as SmartCraft® (with Gateway), NMEA 2000® and analog or resistive sensors.

For more information on trim tabs or indicators please visit www.livorsi.com