

Mega Race Series GPS Speedometers

GPSL120KPLPLRR

847.752.2700

4-5/8" cut out, 120 MPH speedo kit, platinum dial, platinum Race rim

GPS	L	120	K	PL	PL	RR																																																									
GPS Speedometer Gauge	Cut Out Size/ Hole Size	Speed MPH	Kit Optional	Dial Color	Rim Color	Rim Style																																																									
<table><tr><th>overall size</th><th>hole size</th><th>Code:</th></tr><tr><td>3-3/4"</td><td>3-3/8"</td><td>S</td></tr><tr><td>5"</td><td>4-5/8"</td><td>L</td></tr></table>		overall size	hole size	Code:	3-3/4"	3-3/8"	S	5"	4-5/8"	L	<table><tr><th>Code:</th></tr><tr><td>50</td></tr><tr><td>60</td></tr><tr><td>80</td></tr><tr><td>100</td></tr><tr><td>120</td></tr><tr><td>140</td></tr><tr><td>160</td></tr><tr><td>180</td></tr><tr><td>200</td></tr></table>	Code:	50	60	80	100	120	140	160	180	200	<table><tr><th>Code:</th></tr><tr><td>black</td><td>BK</td></tr><tr><td>carbon fiber</td><td>CF</td></tr><tr><td>platinum</td><td>PL</td></tr><tr><td>silver fiber</td><td>SF</td></tr><tr><td>white</td><td>W</td></tr></table> black carbon fiber platinum silver fiber white			Code:	black	BK	carbon fiber	CF	platinum	PL	silver fiber	SF	white	W	<table><tr><th>Code:</th></tr><tr><td>black</td><td>BK</td></tr><tr><td>blue</td><td>BL</td></tr><tr><td>lime</td><td>L</td></tr><tr><td>mustard</td><td>MU</td></tr><tr><td>orange</td><td>O</td></tr><tr><td>platinum</td><td>PL</td></tr><tr><td>polished stainless steel</td><td>PSS</td></tr><tr><td>purple</td><td>PU</td></tr><tr><td>red</td><td>R</td></tr><tr><td>white</td><td>W</td></tr></table>	Code:	black	BK	blue	BL	lime	L	mustard	MU	orange	O	platinum	PL	polished stainless steel	PSS	purple	PU	red	R	white	W	<table><tr><th>Code:</th></tr><tr><td>Mega</td><td>MR</td></tr><tr><td>Race</td><td>RR</td></tr></table> Mega Race	Code:	Mega	MR	Race	RR
overall size	hole size	Code:																																																													
3-3/4"	3-3/8"	S																																																													
5"	4-5/8"	L																																																													
Code:																																																															
50																																																															
60																																																															
80																																																															
100																																																															
120																																																															
140																																																															
160																																																															
180																																																															
200																																																															
Code:																																																															
black	BK																																																														
carbon fiber	CF																																																														
platinum	PL																																																														
silver fiber	SF																																																														
white	W																																																														
Code:																																																															
black	BK																																																														
blue	BL																																																														
lime	L																																																														
mustard	MU																																																														
orange	O																																																														
platinum	PL																																																														
polished stainless steel	PSS																																																														
purple	PU																																																														
red	R																																																														
white	W																																																														
Code:																																																															
Mega	MR																																																														
Race	RR																																																														
Included with GPS speedometer • speedometer • memory recall switch & plate • harness for power, ground and recall • mounting hardware																																																															
Included with GPS speedometer kit • speedometer • memory recall switch & plate • harness for power, ground and recall • mounting hardware • NMEA 0183 GPS antenna																																																															

Mega Race Series Mechanical Speedometers

DCMS60KPLPLRR

847.752.2700

3-3/8" cut out, mechanical 60 MPH kit, platinum dial, platinum Race rim

DCM	S	60	K	PL	PL	RR																																																		
Mechanical Speedometer Gauge	Cut Out Size/ Hole Size	Speed MPH	Kit Optional	Dial Color	Rim Color	Rim Style																																																		
<table><tr><th>overall size</th><th>hole size</th><th>Code:</th></tr><tr><td>3-3/4"</td><td>3-3/8"</td><td>S</td></tr><tr><td>5"</td><td>4-5/8"</td><td>L</td></tr></table>	overall size	hole size	Code:	3-3/4"	3-3/8"	S	5"	4-5/8"	L		<table><tr><th>Code:</th></tr><tr><td>*60</td></tr><tr><td>80</td></tr><tr><td>100</td></tr></table>	Code:	*60	80	100		<table><tr><th>Code:</th></tr><tr><td>black</td><td>BK</td></tr><tr><td>carbon fiber</td><td>CF</td></tr><tr><td>platinum</td><td>PL</td></tr><tr><td>silver fiber</td><td>SF</td></tr><tr><td>white</td><td>W</td></tr></table>	Code:	black	BK	carbon fiber	CF	platinum	PL	silver fiber	SF	white	W	<table><tr><th>Code:</th></tr><tr><td>black</td><td>BK</td></tr><tr><td>blue</td><td>BL</td></tr><tr><td>lime</td><td>L</td></tr><tr><td>mustard</td><td>MU</td></tr><tr><td>orange</td><td>O</td></tr><tr><td>platinum</td><td>PL</td></tr><tr><td>polished stainless steel</td><td>PSS</td></tr><tr><td>purple</td><td>PU</td></tr><tr><td>red</td><td>R</td></tr><tr><td>white</td><td>W</td></tr></table>	Code:	black	BK	blue	BL	lime	L	mustard	MU	orange	O	platinum	PL	polished stainless steel	PSS	purple	PU	red	R	white	W	<table><tr><th>Code:</th></tr><tr><td>Mega</td><td>MR</td></tr><tr><td>Race</td><td>RR</td></tr></table>	Code:	Mega	MR	Race	RR
overall size	hole size	Code:																																																						
3-3/4"	3-3/8"	S																																																						
5"	4-5/8"	L																																																						
Code:																																																								
*60																																																								
80																																																								
100																																																								
Code:																																																								
black	BK																																																							
carbon fiber	CF																																																							
platinum	PL																																																							
silver fiber	SF																																																							
white	W																																																							
Code:																																																								
black	BK																																																							
blue	BL																																																							
lime	L																																																							
mustard	MU																																																							
orange	O																																																							
platinum	PL																																																							
polished stainless steel	PSS																																																							
purple	PU																																																							
red	R																																																							
white	W																																																							
Code:																																																								
Mega	MR																																																							
Race	RR																																																							
* Note: only available in a 3-3/8" cut out				black carbon fiber platinum silver fiber white		Mega Race																																																		
Included with speedometer • speedometer only																																																								
Included with speedometer kit • speedometer • pitot tube assembly (GCM1A1/8) • 1/8" ID hose (GCH1/8)																																																								

Mega Race Series Tachometers

DCL8000PLPLRR

4-5/8" cut out, 8000 RPM, platinum dial, platinum Race rim

847.752.2700

DC	L	8000	PL	PL	RR
----	---	------	----	----	----

Tachometer

Cut Out Size/
Hole Size

RPM

Dial Color

Rim Color

Rim Style

overall size hole size **Code:**

3-3/4"	3-3/8"	S
5"	4-5/8"	L

Code:

diesel - 4000 RPM alternator driven	*4000DA
diesel - 4000 RPM mag probe driven	*4000MPD
diesel - 4000 RPM mechanical signal generator driven	*4000MSGD
gas - 6,000 RPM	6000
gas - 8,000 RPM	8000
gas - 10,000 RPM	10000
gas - 12,000 RPM	*12000

Code:

black	BK
carbon fiber	CF
platinum	PL
silver fiber	SF
white	W

Code:

black	BK
blue	BL
lime	L
mustard	MU
orange	O
platinum	PL
purple	PU
red	R
white	W
polished stainless steel	PSS


Code:

Mega	MR
Race	RR

* Note: only available in a 3-3/8" cut out/hole size

Tachometers require the use of the four pin connector harness:

12V system Part Number: DCH



black



carbon fiber



platinum



silver fiber



white



Mega Race Series Electric Gauges

DCFLPLPLMR

847.752.2700

2-5/8" cut out, fuel level 0-90 ohms, platinum dial, platinum Race rim



DC			FL		PL		PL		RR			
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style			
overall size	hole size	Code:			Code:		Code:		Code:			
2-3/4"	2-5/8"	DC	Clock	DCC	black	BK	black	BK	Mega	MR		
			Fuel Level 0-90 OHMS - automotive industry standard	FLGM	carbon fiber	CF	blue	BL	Race	RR		
			Fuel Level 240-33 OHMS - marine industry standard	FL	platinum	PL	lime	L				
			Fuel Pressure 0-15 PSI	FP	silver fiber	SF	mustard	MU				
			Fuel Pressure 0-90 PSI	FP90	white	W	orange	O				
			Oil Pressure 0-80 PSI	OP80	black carbon fiber platinum silver fiber white							
			Oil Pressure 0-100 PSI	OP								
			Oil Temperature 140-340 F	OT								
			Transmission Temperature 140-340 F	TT								
			Trimmer Mercury & Yamaha 10-90 OHMS	TMM								
			Trimmer Outboard OMC 88-1 OHMS	TMO			platinum	PL				
			Voltmeter 8-18V	VM			polished stainless steel	PSS				
			Voltmeter 18-32V	VM24			purple	PU				
			Water Level	WL			red	R				
			Water Temperature 100-250 F	WTA			white	W				
			Water Temperature 100-280 F	WT								
			Drive Temperature 100-300 F - only available in 2-1/16" cutout									
			Depth Sounder - only available in 2-1/16" cutout									
			Depth Sounder Kit - only available in 2-1/16" cutout									
			Hourmeter - only available in 2-1/16" cutout									

Electric gauges require the use of the four pin connector harness:

12V system Part Number: DCH

24V system Part Number: DCH24





Electric gauges require the use of the four pin connector harness:

12V system Part Number: DCH
24V system Part Number: DCH24

Mega Race Series Mechanical Gauges

DCSMVBPLPLRR

847.752.2700

2-1/16" cut out, mechanical vacuum boost, platinum dial, platinum Race rim

DCSM			VB		PL		PL		RR	
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style	
overall size	hole size	Code:			Code:		Code:		Code:	
2-3/8"	2-1/16"	DCSM	Boost 0-35 PSI	B35	black	BK	black	BK	Mega	MR
			Fuel Pressure 0-15 PSI	FP	carbon fiber	CF	blue	BL	Race	RR
			Fuel Pressure 0-100 PSI	FP100	platinum	PL	lime	L		
			Oil Pressure 0-100 PSI	OP	silver fiber	SF	mustard	MU		
			Vacuum Boost 30 in hg/ Boost 20 PSI	VB	white	W	orange	O		
			Water Pressure 0-35 PSI	WP			platinum	PL		
			Water Pressure 0-60 PSI	WP60			polished stainless steel	PSS		
							purple	PU		
							red	R		
							white	W		

Mechanical gauges require the use of a hose kit:

10 feet of hose & fittings Part Number: HKA

25 feet of hose & fittings Part Number: HK

black

carbon fiber

platinum

silver fiber

white

Mega

Race

Mega Race Series Electric Gauges

DCSFLPLPLMR

847.752.2700

2-1/16" cut out, fuel level 0-90 ohms, platinum dial, platinum Race rim

DCS			FL		PL		PL		RR		
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style		
overall size	hole size	Code:			Code:		Code:		Code:		
2-3/8"	2-1/16"	DCS	Boost Pressure 60 PSI		B60	black	BK	black	BK	Mega	MR
			Fuel Level 0-90 OHMS - automotive industry standard		FLGM	carbon fiber	CF	blue	BL	Race	RR
			Fuel Level 240-33 OHMS - marine industry standard		FL	platinum	PL	lime	L		
			Fuel Pressure 0-15 PSI		FP	silver fiber	SF	mustard	MU		
			Fuel Pressure 0-90 PSI		FP90	white	W	orange	O		
			Oil Pressure 0-80 PSI		OP80	black carbon fiber platinum silver fiber white					
			Oil Pressure 0-100 PSI		OP						
			Oil Temperature 140-340 F		OT						
			Transmission Temperature 140-340 F		TT						
			Trimmer Mercury & Yamaha 10-90 OHMS		TMM						
			Trimmer Outboard OMC 88-1 OHMS		TMO						
			Voltmeter 8-18V		VM						
			Voltmeter 18-32V		VM24						
			Water Level		WL						
			Water Temperature 100-250 F		WTA						
			Water Temperature 100-280 F		WT						
			Drive Temperature 100-300 F		DTK						
			Depth Sounder		*DFG						
			Depth Sounder Kit		*DFGKTR						
			Hourmeter		HM						
			*Note: Depth finder has own rim style.								
Electric gauges require the use of the four pin connector harness: 12V system Part Number: DCH 24V system Part Number: DCH24 (exception- depth sounders and hourmeters)											



Electric gauges require the use of the four pin connector harness:

12V system Part Number: DCH
24V system Part Number: DCH24
(exception- depth sounders and hourmeters)

Mega Race Series Mechanical Gauges

DCMVBPLPLRR

847.752.2700

2-5/8" cut out, mechanical vacuum boost, platinum dial, platinum Race rim

DCM			VB		PL		PL		RR	
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style	
overall size	hole size	Code:			Code:		Code:		Code:	
2-3/4"	2-5/8"	DCM	Boost 0-35 PSI	B35	black	BK	black	BK	Mega	MR
			Fuel Pressure 0-15 PSI	FP	carbon fiber	CF	blue	BL	Race	RR
			Fuel Pressure 0-100 PSI	FP100	platinum	PL	lime	L		
			Oil Pressure 0-100 PSI	OP	silver fiber	SF	mustard	MU		
			Vacuum Boost 30 in hg/ Boost 20 PSI	VB	white	W	orange	O		
			Water Pressure 0-35 PSI	WP			platinum	PL		
			Water Pressure 0-60 PSI	WP60			polished stainless steel	PSS		
							purple	PU		
							red	R		
							white	W		

Mechanical gauges require the use of a hose kit:
10 feet of hose & fittings Part Number: HKA (*Note: not for fuel)
25 feet of hose & fittings Part Number: HK (*Note: not for fuel)

Livorsi Marine, Inc. does not supply hoses for fuel gauges.

black

carbon fiber

platinum

silver fiber

white

Mega

Race